



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/812,235	03/19/2001	William S. Hurst	CRTS-5681 (1417A P 574)/1	9437

7590 01/28/2004

Joseph B. Barrett, Esq.  
BAXTER HEALTHCARE CORPORATION  
Corporate Research & Technical Services  
One Baxter Parkway, DF3-3E  
Deerfield, IL 60015

EXAMINER
----------

CHAN, KO HUNG

ART UNIT	PAPER NUMBER
----------	--------------

3632

DATE MAILED: 01/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/812,235

Applicant(s)

HURST ET AL.

Examiner

Korie H. Chan

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 17 October 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 12 and 18-48 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 12 and 18-48 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 17.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

### **DETAILED ACTION**

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

#### ***Drawings***

The proposed drawing correction were received on 10/17/2003. These drawings are not approved for the following reasons: Newly proposed drawings of figure 13 contains new matter since the original specification does not provide support for the showing of the pulleys (180 and 182) being supported by a parallel, rectangular cross sectioned arms. The drawing objections of previous Office action stands.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

#### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 12 and 18-48 stand rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. It is not clear how or by what means the pulley 180 is mounted to the cross rail 178 or how and by what means the pulley 182 is mounted to the box.

***Claim Rejections - 35 USC § 103***

Claims 12 and 18-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alack (US patent no. 4,182,386) in view of Sasaki et al (US patent no. 5,788,121) and either one of Dow (4,338,979) and Weikert (US patent no. 3,212,681). Alack discloses hanger system comprising a rigid box (73), a flexible container (9) with hanger plural connections (77), hanger (75) with elastic member (81) attached to the flexible container and the box and hanger having at an end thereof counterweight (83). Alack does not disclose the flexible container is at least 200 liters, and the flexible container volume is greater than the box volume, and the perimeter of the flexible container at a cross-sectional plane is greater than the perimeter of the box at the same plane. It would have been an obvious matter of design choice to use a flexible container of 200 liters. Additionally, insertion of flexible containers of greater volume within a smaller volume box are notoriously old and well-known as demonstrated by either Dow or Weikert for a number of obvious reasons and uses.

Further, to place a flexible container having a volume that is greater than the box volume such that the natural result would have been the perimeter of the flexible container at a cross-sectional plane would be greater than the perimeter of the box at the same plane would have been obvious and does not produce expected results. Alack's box is capable of supporting flexible containers of greater volume or perimeter.

Alack does not disclose a hanger is connected to the flexible container within a perimeter edge of the container along a diagonal seam

Sasaki teaches providing flexible container with diagonal seams (7, figure 4) and connecting means (14) along the seams for suspending the flexible container. It would have been obvious to one of ordinary skill in the art to have substituted the flexible container of Alack with Sasaki's flexible container with diagonal seams and connecting means along the seams for suspending the flexible container for transporting as taught by Sasaki.

### ***Response to Arguments***

Applicant's arguments with respect to all pending claims have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Riemersma teaches similar method of emptying flexible container. Bonnema et al and Anre teach providing posts and a cross bar with a hanger on the crossbar. Brooks teach using counter weight (42) to suspend container via pulley.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 3632

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Korie H. Chan whose telephone number is 703-305-8079. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie Braun can be reached on 703-308-2156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.



Korie H. Chan  
Primary Examiner  
Art Unit 3632

khc  
January 21, 2004